

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION (POC)		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 390004	(X2) MULTIPLE CONSTRUCTION: A. BLDG: <u>00</u> B. WING: _____		(X3) DATE SURVEY COMPLETED: 07/03/2023
NAME OF PROVIDER OR SUPPLIER: PENN STATE HEALTH HOLY SPIRIT MEDICAL CENTER		STREET ADDRESS, CITY, STATE, ZIP CODE: 503 NORTH 21ST STREET CAMP HILL, PA 17011			
STATE LICENSE NUMBER: 340801					
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE	(X5) COMPLETE DATE	
P 0000	<p>INITIAL COMMENT</p> <p>This report is the result of an occupancy survey conducted on July 3, 2023, at Penn State Health Holy Spirit Medical Center which included re-location of DEXA scan equipment from Silver Creek Outpatient Center to Penn State Health Camp Hill Center at 875 Poplar Church Road, Camp Hill, Pa. 17011, Suite 100. Based on the occupancy survey, it was determined the facility was in compliance with all applicable requirements of the Pennsylvania Department of Health's Rules and Regulations for Hospitals, 28 PA Code, Part IV, Subparts A and B, November 1987, as amended June 1998 and the current edition of the Guidelines for Design and Construction of Hospital and Health Care Facilities.</p>	P 0000			

(X6) DATE:



Certified End Page

PENN STATE HEALTH HOLY SPIRIT MEDICAL CENTER

STATE LICENSE NUMBER: 340801

SURVEY EXIT DATE: 07/03/2023

**I Certify This Document to be a True and Correct Statement of Deficiencies and
Approved Facility Plan of Correction for the Above-Identified Facility Survey**

A handwritten signature in black ink that reads "Jeane Parisi".

Jeane Parisi
Deputy Secretary for Quality Assurance

A handwritten signature in black ink that reads "Debra L. Bogen MD".

Debra L. Bogen, MD, FAAP
Acting Secretary of Health



THIS IS A CERTIFICATION PAGE

PLEASE DO NOT DETACH

THIS PAGE IS NOW PART OF THIS SURVEY